

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Tank capacity

(See drawing for explanation)

Flat base with freeboard

0 m

Height → Diameter	1	2	3	4	5	6	7	8	9	10
Diameter										
2,5	5	10	15	20	25	29	34	39	44	49
3	7	14	21	28	35	42	49	57	64	71
3,5	10	19	29	38	48	58	67	77	87	96
4	13	25	38	50	63	75	88	101	113	126
4,5	16	32	48	64	80	95	111	127	143	159
5	20	39	59	79	98	118	137	157	177	196
5,5	24	48	71	95	119	143	166	190	214	238
6	28	57	85	113	141	170	198	226	254	283
6,5	33	66	100	133	166	199	232	265	299	332
7	38	77	115	154	192	231	269	308	346	385
7,5	44	88	133	177	221	265	309	353	398	442
8	50	101	151	201	251	302	352	402	452	503
8,5	57	113	170	227	284	340	397	454	511	567
9	64	127	191	254	318	382	445	509	573	636
9,5	71	142	213	284	354	425	496	567	638	709
10	79	157	236	314	393	471	550	628	707	785
10,5	87	173	260	346	433	520	606	693	779	866
11	95	190	285	380	475	570	665	760	855	950
11,5	104	208	312	415	519	623	727	831	935	1.039
12	113	226	339	452	565	679	792	905	1.018	1.131
12,5	123	245	368	491	614	736	859	982	1.104	1.227
13	133	265	398	531	664	796	929	1.062	1.195	1.327
13,5	143	286	429	573	716	859	1.002	1.145	1.288	1.431
14	154	308	462	616	770	924	1.078	1.232	1.385	1.539
14,5	165	330	495	661	826	991	1.156	1.321	1.486	1.651
15	177	353	530	707	884	1.060	1.237	1.414	1.590	1.767
15,5	189	377	566	755	943	1.132	1.321	1.510	1.698	1.887
16	201	402	603	804	1.005	1.206	1.407	1.608	1.810	2.011
16,5	214	428	641	855	1.069	1.283	1.497	1.711	1.924	2.138
17	227	454	681	908	1.135	1.362	1.589	1.816	2.043	2.270
17,5	241	481	722	962	1.203	1.443	1.684	1.924	2.165	2.405
18	254	509	763	1.018	1.272	1.527	1.781	2.036	2.290	2.545
18,5	269	538	806	1.075	1.344	1.613	1.882	2.150	2.419	2.688
19	284	567	851	1.134	1.418	1.701	1.985	2.268	2.552	2.835
19,5	299	597	896	1.195	1.493	1.792	2.091	2.389	2.688	2.986
20	314	628	942	1.257	1.571	1.885	2.199	2.513	2.827	3.142
20,5	330	660	990	1.320	1.650	1.980	2.310	2.641	2.971	3.301
21	346	693	1.039	1.385	1.732	2.078	2.425	2.771	3.117	3.464
21,5	363	726	1.089	1.452	1.815	2.178	2.541	2.904	3.267	3.631
22	380	760	1.140	1.521	1.901	2.281	2.661	3.041	3.421	3.801
22,5	398	795	1.193	1.590	1.988	2.386	2.783	3.181	3.578	3.976
23	415	831	1.246	1.662	2.077	2.493	2.908	3.324	3.739	4.155
23,5	434	867	1.301	1.735	2.169	2.602	3.036	3.470	3.904	4.337
24	452	905	1.357	1.810	2.262	2.714	3.167	3.619	4.072	4.524
24,5	471	943	1.414	1.886	2.357	2.829	3.300	3.771	4.243	4.714
25	491	982	1.473	1.963	2.454	2.945	3.436	3.927	4.418	4.909
25,5	511	1.021	1.532	2.043	2.554	3.064	3.575	4.086	4.596	5.107
26	531	1.062	1.593	2.124	2.655	3.186	3.717	4.247	4.778	5.309

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Tank capacity

(See drawing for explanation)

Flat base with freeboard

0 m

Height → Diameter	1	2	3	4	5	6	7	8	9	10
26,5	552	1.103	1.655	2.206	2.758	3.309	3.861	4.412	4.964	5.515
27	573	1.145	1.718	2.290	2.863	3.435	4.008	4.580	5.153	5.726
27,5	594	1.188	1.782	2.376	2.970	3.564	4.158	4.752	5.346	5.940
28	616	1.232	1.847	2.463	3.079	3.695	4.310	4.926	5.542	6.158
28,5	638	1.276	1.914	2.552	3.190	3.828	4.466	5.104	5.741	6.379
29	661	1.321	1.982	2.642	3.303	3.963	4.624	5.284	5.945	6.605
29,5	683	1.367	2.050	2.734	3.417	4.101	4.784	5.468	6.151	6.835
30	707	1.414	2.121	2.827	3.534	4.241	4.948	5.655	6.362	7.069
30,5	731	1.461	2.192	2.922	3.653	4.384	5.114	5.845	6.576	7.306
31	755	1.510	2.264	3.019	3.774	4.529	5.283	6.038	6.793	7.548
31,5	779	1.559	2.338	3.117	3.897	4.676	5.455	6.234	7.014	7.793
32	804	1.608	2.413	3.217	4.021	4.825	5.630	6.434	7.238	8.042
32,5	830	1.659	2.489	3.318	4.148	4.977	5.807	6.637	7.466	8.296
33	855	1.711	2.566	3.421	4.276	5.132	5.987	6.842	7.698	8.553
33,5	881	1.763	2.644	3.526	4.407	5.288	6.170	7.051	7.933	8.814
34	908	1.816	2.724	3.632	4.540	5.448	6.355	7.263	8.171	9.079
34,5	935	1.870	2.804	3.739	4.674	5.609	6.544	7.479	8.413	9.348
35	962	1.924	2.886	3.848	4.811	5.773	6.735	7.697	8.659	9.621
35,5	990	1.980	2.969	3.959	4.949	5.939	6.929	7.918	8.908	9.898
36	1.018	2.036	3.054	4.072	5.089	6.107	7.125	8.143	9.161	10.179
36,5	1.046	2.093	3.139	4.185	5.232	6.278	7.324	8.371	9.417	10.463
37	1.075	2.150	3.226	4.301	5.376	6.451	7.526	8.602	9.677	10.752
37,5	1.104	2.209	3.313	4.418	5.522	6.627	7.731	8.836	9.940	11.045
38	1.134	2.268	3.402	4.536	5.671	6.805	7.939	9.073	10.207	11.341
38,5	1.164	2.328	3.492	4.657	5.821	6.985	8.149	9.313	10.477	11.642
39	1.195	2.389	3.584	4.778	5.973	7.168	8.362	9.557	10.751	11.946
39,5	1.225	2.451	3.676	4.902	6.127	7.353	8.578	9.803	11.029	12.254
40	1.257	2.513	3.770	5.027	6.283	7.540	8.796	10.053	11.310	12.566
40,5	1.288	2.576	3.865	5.153	6.441	7.729	9.018	10.306	11.594	12.882
41	1.320	2.641	3.961	5.281	6.601	7.922	9.242	10.562	11.882	13.203
41,5	1.353	2.705	4.058	5.411	6.763	8.116	9.469	10.821	12.174	13.527
42	1.385	2.771	4.156	5.542	6.927	8.313	9.698	11.084	12.469	13.854
42,5	1.419	2.837	4.256	5.675	7.093	8.512	9.930	11.349	12.768	14.186
43	1.452	2.904	4.357	5.809	7.261	8.713	10.165	11.618	13.070	14.522
43,5	1.486	2.972	4.459	5.945	7.431	8.917	10.403	11.889	13.376	14.862
44	1.521	3.041	4.562	6.082	7.603	9.123	10.644	12.164	13.685	15.205
44,5	1.555	3.111	4.666	6.221	7.776	9.332	10.887	12.442	13.998	15.553
45	1.590	3.181	4.771	6.362	7.952	9.543	11.133	12.723	14.314	15.904
45,5	1.626	3.252	4.878	6.504	8.130	9.756	11.382	13.008	14.634	16.260
46	1.662	3.324	4.986	6.648	8.310	9.971	11.633	13.295	14.957	16.619
46,5	1.698	3.396	5.095	6.793	8.491	10.189	11.888	13.586	15.284	16.982
47	1.735	3.470	5.205	6.940	8.675	10.410	12.145	13.880	15.615	17.349
47,5	1.772	3.544	5.316	7.088	8.860	10.632	12.404	14.176	15.948	17.721
48	1.810	3.619	5.429	7.238	9.048	10.857	12.667	14.476	16.286	18.096
48,5	1.847	3.695	5.542	7.390	9.237	11.085	12.932	14.780	16.627	18.475
49	1.886	3.771	5.657	7.543	9.429	11.314	13.200	15.086	16.972	18.857
49,5	1.924	3.849	5.773	7.698	9.622	11.547	13.471	15.395	17.320	19.244
50	1.963	3.927	5.890	7.854	9.817	11.781	13.744	15.708	17.671	19.635

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Tank capacity

(See drawing for explanation)

Flat base with freeboard

0,3 m

Height → Diameter	1	2	3	4	5	6	7	8	9	10
Diameter										
2,5	3	8	13	18	23	28	33	38	43	48
3	5	12	19	26	33	40	47	54	61	69
3,5	7	16	26	36	45	55	64	74	84	93
4	9	21	34	46	59	72	84	97	109	122
4,5	11	27	43	59	75	91	107	122	138	154
5	14	33	53	73	92	112	132	151	171	190
5,5	17	40	64	88	112	135	159	183	207	230
6	20	48	76	105	133	161	189	218	246	274
6,5	23	56	90	123	156	189	222	256	289	322
7	27	65	104	142	181	219	258	296	335	373
7,5	31	75	119	163	208	252	296	340	384	429
8	35	85	136	186	236	287	337	387	437	488
8,5	40	96	153	210	267	323	380	437	494	550
9	45	108	172	235	299	363	426	490	553	617
9,5	50	120	191	262	333	404	475	546	617	688
10	55	134	212	291	369	448	526	605	683	762
10,5	61	147	234	320	407	494	580	667	753	840
11	67	162	257	352	447	542	637	732	827	922
11,5	73	177	280	384	488	592	696	800	904	1.008
12	79	192	305	418	532	645	758	871	984	1.097
12,5	86	209	331	454	577	699	822	945	1.068	1.190
13	93	226	358	491	624	757	889	1.022	1.155	1.288
13,5	100	243	386	530	673	816	959	1.102	1.245	1.388
14	108	262	416	570	724	877	1.031	1.185	1.339	1.493
14,5	116	281	446	611	776	941	1.106	1.272	1.437	1.602
15	124	300	477	654	831	1.007	1.184	1.361	1.537	1.714
15,5	132	321	509	698	887	1.076	1.264	1.453	1.642	1.830
16	141	342	543	744	945	1.146	1.347	1.548	1.749	1.950
16,5	150	364	577	791	1.005	1.219	1.433	1.646	1.860	2.074
17	159	386	613	840	1.067	1.294	1.521	1.748	1.975	2.202
17,5	168	409	649	890	1.130	1.371	1.612	1.852	2.093	2.333
18	178	433	687	942	1.196	1.450	1.705	1.959	2.214	2.468
18,5	188	457	726	995	1.263	1.532	1.801	2.070	2.339	2.607
19	198	482	766	1.049	1.333	1.616	1.900	2.183	2.467	2.750
19,5	209	508	806	1.105	1.404	1.702	2.001	2.300	2.598	2.897
20	220	534	848	1.162	1.477	1.791	2.105	2.419	2.733	3.047
20,5	231	561	891	1.221	1.551	1.881	2.211	2.541	2.872	3.202
21	242	589	935	1.282	1.628	1.974	2.321	2.667	3.013	3.360
21,5	254	617	980	1.343	1.706	2.069	2.432	2.795	3.159	3.522
22	266	646	1.026	1.406	1.787	2.167	2.547	2.927	3.307	3.687
22,5	278	676	1.074	1.471	1.869	2.266	2.664	3.062	3.459	3.857
23	291	706	1.122	1.537	1.953	2.368	2.784	3.199	3.615	4.030
23,5	304	737	1.171	1.605	2.039	2.472	2.906	3.340	3.774	4.207
24	317	769	1.221	1.674	2.126	2.579	3.031	3.483	3.936	4.388
24,5	330	801	1.273	1.744	2.216	2.687	3.159	3.630	4.101	4.573
25	344	834	1.325	1.816	2.307	2.798	3.289	3.780	4.271	4.761
25,5	357	868	1.379	1.890	2.400	2.911	3.422	3.932	4.443	4.954
26	372	903	1.434	1.964	2.495	3.026	3.557	4.088	4.619	5.150

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Tank capacity

(See drawing for explanation)

Flat base with freeboard

0,3 m

Height → Diameter	1	2	3	4	5	6	7	8	9	10
Diameter										
26,5	386	938	1.489	2.041	2.592	3.144	3.695	4.247	4.798	5.350
27	401	973	1.546	2.118	2.691	3.264	3.836	4.409	4.981	5.554
27,5	416	1.010	1.604	2.198	2.792	3.386	3.980	4.573	5.167	5.761
28	431	1.047	1.663	2.278	2.894	3.510	4.126	4.741	5.357	5.973
28,5	447	1.084	1.722	2.360	2.998	3.636	4.274	4.912	5.550	6.188
29	462	1.123	1.783	2.444	3.104	3.765	4.425	5.086	5.747	6.407
29,5	478	1.162	1.845	2.529	3.212	3.896	4.579	5.263	5.946	6.630
30	495	1.202	1.909	2.615	3.322	4.029	4.736	5.443	6.150	6.857
30,5	511	1.242	1.973	2.703	3.434	4.165	4.895	5.626	6.356	7.087
31	528	1.283	2.038	2.793	3.547	4.302	5.057	5.812	6.566	7.321
31,5	546	1.325	2.104	2.883	3.663	4.442	5.221	6.001	6.780	7.559
32	563	1.367	2.171	2.976	3.780	4.584	5.388	6.193	6.997	7.801
32,5	581	1.410	2.240	3.069	3.899	4.729	5.558	6.388	7.217	8.047
33	599	1.454	2.309	3.165	4.020	4.875	5.731	6.586	7.441	8.296
33,5	617	1.498	2.380	3.261	4.143	5.024	5.905	6.787	7.668	8.550
34	636	1.543	2.451	3.359	4.267	5.175	6.083	6.991	7.899	8.807
34,5	654	1.589	2.524	3.459	4.394	5.328	6.263	7.198	8.133	9.068
35	673	1.636	2.598	3.560	4.522	5.484	6.446	7.408	8.370	9.332
35,5	693	1.683	2.672	3.662	4.652	5.642	6.632	7.621	8.611	9.601
36	713	1.730	2.748	3.766	4.784	5.802	6.820	7.838	8.856	9.873
36,5	732	1.779	2.825	3.871	4.918	5.964	7.011	8.057	9.103	10.150
37	753	1.828	2.903	3.978	5.053	6.129	7.204	8.279	9.354	10.430
37,5	773	1.878	2.982	4.087	5.191	6.295	7.400	8.504	9.609	10.713
38	794	1.928	3.062	4.196	5.330	6.464	7.599	8.733	9.867	11.001
38,5	815	1.979	3.143	4.307	5.472	6.636	7.800	8.964	10.128	11.292
39	836	2.031	3.225	4.420	5.615	6.809	8.004	9.198	10.393	11.588
39,5	858	2.083	3.309	4.534	5.759	6.985	8.210	9.436	10.661	11.887
40	880	2.136	3.393	4.650	5.906	7.163	8.419	9.676	10.933	12.189
40,5	902	2.190	3.478	4.767	6.055	7.343	8.631	9.920	11.208	12.496
41	924	2.244	3.565	4.885	6.205	7.525	8.846	10.166	11.486	12.806
41,5	947	2.300	3.652	5.005	6.357	7.710	9.063	10.415	11.768	13.121
42	970	2.355	3.741	5.126	6.512	7.897	9.282	10.668	12.053	13.439
42,5	993	2.412	3.830	5.249	6.668	8.086	9.505	10.923	12.342	13.761
43	1.017	2.469	3.921	5.373	6.825	8.278	9.730	11.182	12.634	14.086
43,5	1.040	2.526	4.013	5.499	6.985	8.471	9.957	11.444	12.930	14.416
44	1.064	2.585	4.105	5.626	7.146	8.667	10.188	11.708	13.229	14.749
44,5	1.089	2.644	4.199	5.755	7.310	8.865	10.420	11.976	13.531	15.086
45	1.113	2.704	4.294	5.885	7.475	9.065	10.656	12.246	13.837	15.427
45,5	1.138	2.764	4.390	6.016	7.642	9.268	10.894	12.520	14.146	15.772
46	1.163	2.825	4.487	6.149	7.811	9.473	11.135	12.797	14.459	16.120
46,5	1.189	2.887	4.585	6.283	7.982	9.680	11.378	13.076	14.775	16.473
47	1.214	2.949	4.684	6.419	8.154	9.889	11.624	13.359	15.094	16.829
47,5	1.240	3.012	4.785	6.557	8.329	10.101	11.873	13.645	15.417	17.189
48	1.267	3.076	4.886	6.695	8.505	10.314	12.124	13.934	15.743	17.553
48,5	1.293	3.141	4.988	6.836	8.683	10.530	12.378	14.225	16.073	17.920
49	1.320	3.206	5.092	6.977	8.863	10.749	12.634	14.520	16.406	18.292
49,5	1.347	3.272	5.196	7.120	9.045	10.969	12.894	14.818	16.742	18.667
50	1.374	3.338	5.301	7.265	9.228	11.192	13.155	15.119	17.082	19.046

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Tank capacity

(See drawing for explanation)

Flat base with freeboard

0,5 m

Height → Diameter	1	2	3	4	5	6	7	8	9	10
Diameter										
2,5	2	7	12	17	22	27	32	37	42	47
3	4	11	18	25	32	39	46	53	60	67
3,5	5	14	24	34	43	53	63	72	82	91
4	6	19	31	44	57	69	82	94	107	119
4,5	8	24	40	56	72	87	103	119	135	151
5	10	29	49	69	88	108	128	147	167	187
5,5	12	36	59	83	107	131	154	178	202	226
6	14	42	71	99	127	156	184	212	240	269
6,5	17	50	83	116	149	183	216	249	282	315
7	19	58	96	135	173	212	250	289	327	366
7,5	22	66	110	155	199	243	287	331	376	420
8	25	75	126	176	226	276	327	377	427	478
8,5	28	85	142	199	255	312	369	426	482	539
9	32	95	159	223	286	350	414	477	541	604
9,5	35	106	177	248	319	390	461	532	602	673
10	39	118	196	275	353	432	511	589	668	746
10,5	43	130	216	303	390	476	563	649	736	823
11	48	143	238	333	428	523	618	713	808	903
11,5	52	156	260	364	467	571	675	779	883	987
12	57	170	283	396	509	622	735	848	961	1.074
12,5	61	184	307	430	552	675	798	920	1.043	1.166
13	66	199	332	465	597	730	863	995	1.128	1.261
13,5	72	215	358	501	644	787	930	1.074	1.217	1.360
14	77	231	385	539	693	847	1.001	1.155	1.308	1.462
14,5	83	248	413	578	743	908	1.073	1.238	1.404	1.569
15	88	265	442	619	795	972	1.149	1.325	1.502	1.679
15,5	94	283	472	660	849	1.038	1.226	1.415	1.604	1.793
16	101	302	503	704	905	1.106	1.307	1.508	1.709	1.910
16,5	107	321	535	748	962	1.176	1.390	1.604	1.818	2.031
17	113	340	567	794	1.021	1.248	1.475	1.702	1.929	2.156
17,5	120	361	601	842	1.082	1.323	1.563	1.804	2.044	2.285
18	127	382	636	891	1.145	1.400	1.654	1.909	2.163	2.417
18,5	134	403	672	941	1.210	1.478	1.747	2.016	2.285	2.554
19	142	425	709	992	1.276	1.559	1.843	2.126	2.410	2.694
19,5	149	448	747	1.045	1.344	1.643	1.941	2.240	2.539	2.837
20	157	471	785	1.100	1.414	1.728	2.042	2.356	2.670	2.985
20,5	165	495	825	1.155	1.485	1.815	2.145	2.475	2.806	3.136
21	173	520	866	1.212	1.559	1.905	2.251	2.598	2.944	3.290
21,5	182	545	908	1.271	1.634	1.997	2.360	2.723	3.086	3.449
22	190	570	950	1.330	1.711	2.091	2.471	2.851	3.231	3.611
22,5	199	596	994	1.392	1.789	2.187	2.584	2.982	3.380	3.777
23	208	623	1.039	1.454	1.870	2.285	2.701	3.116	3.532	3.947
23,5	217	651	1.084	1.518	1.952	2.386	2.819	3.253	3.687	4.120
24	226	679	1.131	1.583	2.036	2.488	2.941	3.393	3.845	4.298
24,5	236	707	1.179	1.650	2.121	2.593	3.064	3.536	4.007	4.479
25	245	736	1.227	1.718	2.209	2.700	3.191	3.682	4.172	4.663
25,5	255	766	1.277	1.787	2.298	2.809	3.320	3.830	4.341	4.852
26	265	796	1.327	1.858	2.389	2.920	3.451	3.982	4.513	5.044

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Tank capacity

(See drawing for explanation)

Flat base with freeboard

0,5 m

Height → Diameter	1	2	3	4	5	6	7	8	9	10
26,5	276	827	1.379	1.930	2.482	3.034	3.585	4.137	4.688	5.240
27	286	859	1.431	2.004	2.576	3.149	3.722	4.294	4.867	5.439
27,5	297	891	1.485	2.079	2.673	3.267	3.861	4.455	5.049	5.643
28	308	924	1.539	2.155	2.771	3.387	4.002	4.618	5.234	5.850
28,5	319	957	1.595	2.233	2.871	3.509	4.147	4.785	5.422	6.060
29	330	991	1.651	2.312	2.972	3.633	4.293	4.954	5.614	6.275
29,5	342	1.025	1.709	2.392	3.076	3.759	4.443	5.126	5.810	6.493
30	353	1.060	1.767	2.474	3.181	3.888	4.595	5.301	6.008	6.715
30,5	365	1.096	1.827	2.557	3.288	4.018	4.749	5.480	6.210	6.941
31	377	1.132	1.887	2.642	3.396	4.151	4.906	5.661	6.416	7.170
31,5	390	1.169	1.948	2.728	3.507	4.286	5.066	5.845	6.624	7.403
32	402	1.206	2.011	2.815	3.619	4.423	5.228	6.032	6.836	7.640
32,5	415	1.244	2.074	2.904	3.733	4.563	5.392	6.222	7.051	7.881
33	428	1.283	2.138	2.994	3.849	4.704	5.559	6.415	7.270	8.125
33,5	441	1.322	2.204	3.085	3.966	4.848	5.729	6.611	7.492	8.373
34	454	1.362	2.270	3.178	4.086	4.994	5.901	6.809	7.717	8.625
34,5	467	1.402	2.337	3.272	4.207	5.142	6.076	7.011	7.946	8.881
35	481	1.443	2.405	3.367	4.330	5.292	6.254	7.216	8.178	9.140
35,5	495	1.485	2.474	3.464	4.454	5.444	6.434	7.423	8.413	9.403
36	509	1.527	2.545	3.563	4.580	5.598	6.616	7.634	8.652	9.670
36,5	523	1.570	2.616	3.662	4.709	5.755	6.801	7.848	8.894	9.940
37	538	1.613	2.688	3.763	4.838	5.914	6.989	8.064	9.139	10.214
37,5	552	1.657	2.761	3.866	4.970	6.075	7.179	8.283	9.388	10.492
38	567	1.701	2.835	3.969	5.104	6.238	7.372	8.506	9.640	10.774
38,5	582	1.746	2.910	4.075	5.239	6.403	7.567	8.731	9.895	11.059
39	597	1.792	2.986	4.181	5.376	6.570	7.765	8.959	10.154	11.349
39,5	613	1.838	3.064	4.289	5.514	6.740	7.965	9.191	10.416	11.641
40	628	1.885	3.142	4.398	5.655	6.912	8.168	9.425	10.681	11.938
40,5	644	1.932	3.221	4.509	5.797	7.085	8.374	9.662	10.950	12.238
41	660	1.980	3.301	4.621	5.941	7.261	8.582	9.902	11.222	12.542
41,5	676	2.029	3.382	4.734	6.087	7.440	8.792	10.145	11.498	12.850
42	693	2.078	3.464	4.849	6.234	7.620	9.005	10.391	11.776	13.162
42,5	709	2.128	3.547	4.965	6.384	7.802	9.221	10.640	12.058	13.477
43	726	2.178	3.631	5.083	6.535	7.987	9.439	10.892	12.344	13.796
43,5	743	2.229	3.715	5.202	6.688	8.174	9.660	11.146	12.632	14.119
44	760	2.281	3.801	5.322	6.842	8.363	9.883	11.404	12.925	14.445
44,5	778	2.333	3.888	5.443	6.999	8.554	10.109	11.665	13.220	14.775
45	795	2.386	3.976	5.567	7.157	8.747	10.338	11.928	13.519	15.109
45,5	813	2.439	4.065	5.691	7.317	8.943	10.569	12.195	13.821	15.447
46	831	2.493	4.155	5.817	7.479	9.140	10.802	12.464	14.126	15.788
46,5	849	2.547	4.246	5.944	7.642	9.340	11.038	12.737	14.435	16.133
47	867	2.602	4.337	6.072	7.807	9.542	11.277	13.012	14.747	16.482
47,5	886	2.658	4.430	6.202	7.974	9.746	11.518	13.290	15.062	16.835
48	905	2.714	4.524	6.333	8.143	9.953	11.762	13.572	15.381	17.191
48,5	924	2.771	4.619	6.466	8.314	10.161	12.008	13.856	15.703	17.551
49	943	2.829	4.714	6.600	8.486	10.372	12.257	14.143	16.029	17.915
49,5	962	2.887	4.811	6.735	8.660	10.584	12.509	14.433	16.358	18.282
50	982	2.945	4.909	6.872	8.836	10.799	12.763	14.726	16.690	18.653

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Cone capacity

(See drawing for explanation)

Conical base

Degrees – Slope →	1 : 12					1 : 8							
	2,0%	3,0%	4,0%	5,0%	7,0%	8,0%	8,33%	8,75%	10,0%	12,5%	15,0%	17,6%	
	1,15	1,72	2,29	2,86	4,00	4,57	4,76	5,00	5,71	7,13	8,53	10,0	
Diameter													
2,5	0,0	0,1	0,1	0,1	0,1	0,2	0,2	0,2	0,2	0,3	0,3	0,4	
3	0,1	0,1	0,1	0,2	0,2	0,3	0,3	0,3	0,4	0,4	0,5	0,6	
3,5	0,1	0,2	0,2	0,3	0,4	0,4	0,5	0,5	0,6	0,7	0,8	1,0	
4	0,2	0,3	0,3	0,4	0,6	0,7	0,7	0,7	0,8	1,0	1,3	1,5	
4,5	0,2	0,4	0,5	0,6	0,8	1,0	1,0	1,0	1,2	1,5	1,8	2,1	
5	0,3	0,5	0,7	0,8	1,1	1,3	1,4	1,4	1,6	2,0	2,5	2,9	
5,5	0,4	0,7	0,9	1,1	1,5	1,7	1,8	1,9	2,2	2,7	3,3	3,8	
6	0,6	0,8	1,1	1,4	2,0	2,3	2,4	2,5	2,8	3,5	4,2	5,0	
6,5	0,7	1,1	1,4	1,8	2,5	2,9	3,0	3,1	3,6	4,5	5,4	6,3	
7	0,9	1,3	1,8	2,2	3,1	3,6	3,7	3,9	4,5	5,6	6,7	7,9	
7,5	1,1	1,7	2,2	2,8	3,9	4,4	4,6	4,8	5,5	6,9	8,3	9,7	
8	1,3	2,0	2,7	3,4	4,7	5,4	5,6	5,9	6,7	8,4	10,1	11,8	
8,5	1,6	2,4	3,2	4,0	5,6	6,4	6,7	7,0	8,0	10,0	12,1	14,2	
9	1,9	2,9	3,8	4,8	6,7	7,6	8,0	8,3	9,5	11,9	14,3	16,8	
9,5	2,2	3,4	4,5	5,6	7,9	9,0	9,4	9,8	11,2	14,0	16,8	19,8	
10	2,6	3,9	5,2	6,5	9,2	10,5	10,9	11,5	13,1	16,4	19,6	23,1	
10,5	3	5	6	8	11	12	13	13	15	19	23	27	
11	3	5	7	9	12	14	15	15	17	22	26	31	
11,5	4	6	8	10	14	16	17	17	20	25	30	35	
12	5	7	9	11	16	18	19	20	23	28	34	40	
12,5	5	8	10	13	18	20	21	22	26	32	38	45	
13	6	9	12	14	20	23	24	25	29	36	43	51	
13,5	6	10	13	16	23	26	27	28	32	40	48	57	
14	7	11	14	18	25	29	30	31	36	45	54	63	
14,5	8	12	16	20	28	32	33	35	40	50	60	70	
15	9	13	18	22	31	35	37	39	44	55	66	78	
15,5	10	15	19	24	34	39	41	43	49	61	73	86	
16	11	16	21	27	38	43	45	47	54	67	80	95	
16,5	12	18	24	29	41	47	49	51	59	74	88	104	
17	13	19	26	32	45	51	54	56	64	80	96	113	
17,5	14	21	28	35	49	56	58	61	70	88	105	124	
18	15	23	31	38	53	61	64	67	76	95	115	135	
18,5	17	25	33	41	58	66	69	73	83	104	124	146	
19	18	27	36	45	63	72	75	79	90	112	135	158	
19,5	19	29	39	49	68	78	81	85	97	121	146	171	
20	21	31	42	52	73	84	87	92	105	131	157	185	
20,5	23	34	45	56	79	90	94	99	113	141	169	199	
21	24	36	48	61	85	97	101	106	121	152	182	214	
21,5	26	39	52	65	91	104	108	114	130	163	195	229	
22	28	42	56	70	98	112	116	122	139	174	209	246	
22,5	30	45	60	75	104	119	124	130	149	186	224	263	
23	32	48	64	80	111	127	133	139	159	199	239	281	
23,5	34	51	68	85	119	136	142	149	170	212	255	299	
24	36	54	72	90	127	145	151	158	181	226	271	319	
24,5	39	58	77	96	135	154	160	168	193	241	289	339	
25	41	61	82	102	143	164	170	179	205	256	307	361	
25,5	43	65	87	109	152	174	181	190	217	271	326	383	
26	46	69	92	115	161	184	192	201	230	288	345	406	

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv

This schedules only give rough indications for practical use.

For internal use by Monostore only.

Cone capacity

(See drawing for explanation)

Conical base

Degrees – Slope →	1 : 12					1 : 8						
	2,0%	3,0%	4,0%	5,0%	7,0%	8,0%	8,33%	8,75%	10,0%	12,5%	15,0%	17,6%
	1,15	1,72	2,29	2,86	4,00	4,57	4,76	5,00	5,71	7,13	8,53	10,0
Diameter												
26,5	49	73	97	122	171	195	203	213	244	304	365	429
27	52	77	103	129	180	206	215	225	258	322	386	454
27,5	54	82	109	136	191	218	227	238	272	340	408	480
28	57	86	115	144	201	230	239	251	287	359	431	507
28,5	61	91	121	152	212	242	253	265	303	379	455	534
29	64	96	128	160	223	255	266	279	319	399	479	563
29,5	67	101	134	168	235	269	280	294	336	420	504	592
30	71	106	141	177	247	283	295	309	353	442	530	623
30,5	74	111	149	186	260	297	309	325	371	464	557	655
31	78	117	156	195	273	312	325	341	390	487	585	688
31,5	82	123	164	205	286	327	341	358	409	511	614	721
32	86	129	172	214	300	343	357	375	429	536	643	756
32,5	90	135	180	225	315	359	374	393	449	562	674	792
33	94	141	188	235	329	376	392	412	470	588	706	829
33,5	98	148	197	246	344	394	410	431	492	615	738	868
34	103	154	206	257	360	412	429	450	514	643	772	907
34,5	108	161	215	269	376	430	448	470	538	672	806	948
35	112	168	224	281	393	449	468	491	561	702	842	989
35,5	117	176	234	293	410	469	488	512	586	732	878	1032
36	122	183	244	305	428	489	509	534	611	763	916	1077
36,5	127	191	255	318	446	509	530	557	637	796	955	1122
37	133	199	265	332	464	530	553	580	663	829	995	1169
37,5	138	207	276	345	483	552	575	604	690	863	1035	1217
38	144	215	287	359	503	575	599	628	718	898	1077	1266
38,5	149	224	299	374	523	598	622	654	747	934	1121	1317
39	155	233	311	388	544	621	647	679	776	971	1165	1369
39,5	161	242	323	403	565	645	672	706	807	1008	1210	1422
40	168	251	335	419	586	670	698	733	838	1047	1257	1477
40,5	174	261	348	435	609	696	725	761	870	1087	1304	1533
41	180	271	361	451	632	722	752	789	902	1128	1353	1591
41,5	187	281	374	468	655	748	780	819	936	1169	1403	1649
42	194	291	388	485	679	776	808	849	970	1212	1455	1710
42,5	201	301	402	502	703	804	837	879	1005	1256	1507	1772
43	208	312	416	520	729	833	867	911	1041	1301	1561	1835
43,5	215	323	431	539	754	862	898	943	1077	1347	1616	1900
44	223	335	446	558	781	892	929	976	1115	1394	1673	1966
44,5	231	346	461	577	807	923	961	1009	1154	1442	1730	2034
45	239	358	477	596	835	954	994	1044	1193	1491	1789	2103
45,5	247	370	493	617	863	986	1028	1079	1233	1541	1850	2174
46	255	382	510	637	892	1019	1062	1115	1274	1593	1911	2246
46,5	263	395	526	658	921	1053	1097	1152	1316	1645	1974	2320
47	272	408	544	680	951	1087	1133	1189	1359	1699	2039	2396
47,5	281	421	561	701	982	1122	1169	1228	1403	1754	2104	2473
48	290	434	579	724	1013	1158	1206	1267	1448	1810	2171	2552
48,5	299	448	597	747	1045	1195	1244	1307	1493	1867	2240	2633
49	308	462	616	770	1078	1232	1283	1348	1540	1925	2310	2715
49,5	318	476	635	794	1111	1270	1323	1389	1588	1985	2381	2799
50	327	491	654	818	1145	1309	1364	1432	1636	2045	2454	2885

Rough guide line for internal use by Monostore only.

Copyright by Monostore bv